# 2012 State of Indiana Fire Weather Area Operating Plan











Last Updated: February 13, 2012

#### **INTRODUCTION:**

This Fire Weather Annual Operating Plan (FWAOP) was developed to enhance the communication and organization between the National Weather Service offices and various local, state and federal agencies across the state of Indiana. The following National Weather Service offices will provide Fire Weather Planning Forecasts, Spot Fire Weather Forecasts and Red Flag event support to the agencies also listed below. Contact information can be found in Appendix F.

#### **National Weather Service Offices**

Office Name (Site ID)	Local NWS Fire Weather Website
Indianapolis (IND)	http://www.crh.noaa.gov/ind/?n=fireweather
Northern Indiana (IWX)	http://www.crh.noaa.gov/iwx/?n=firewx
Louisville, KY (LMK)	http://www.crh.noaa.gov/lmk/?n=fireweather
Chicago, IL (LOT)	http://www.crh.noaa.gov/lot/?n=firewx
Wilmington, OH (ILN)	http://www.erh.noaa.gov/iln/fireweather.php
Paducah, KY (PAH)	http://www.crh.noaa.gov/pah/?n=firewx
NWS Fire Weather Site	http://www.srh.noaa.gov/ridge2/fire/

# **Land Management Agencies**

Land Mgmt Agency	Agency Website
State of Indiana DNR	http://www.in.gov/dnr/index.htm
U.S. Fish and Wildlife	http://www.fws.gov/midwest/
Eastern Area Coordination	http://gacc.nifc.gov/eacc/
Center (EACC)	
U.S. Forest Service	http://www.fws.gov/
National Park Service	http://www.nps.gov/

# **Appendices Referenced in this AOP:**

- Appendix A: Points of Contact
- Appendix B: NWS Office Coverage for State of Indiana
- Appendix C: NWS National (Experimental) Fire Weather Page and Spot Forecasts
- Appendix D: Experimental Smoke Particle Trajectories
- Appendix E: Examples of Products Issued
- Appendix F: Fire Weather Indices

#### **Definition of Fire Weather Season:**

The Fire Weather Season across much of the state of Indiana can vary greatly from north to south. Climatologically, the greatest threat for wildfires and other related fires can occur from late February (southern sections) through April and October through early December (southern sections). However, these are by no means strict starting and ending periods. Throughout the year, land management and National Weather Service officials will evaluate fuel conditions and determine the most favorable time periods for the Fire Weather Season. Additional details on local NWS Fire Weather programs will follow in this plan.

## **Routine Services provided by the National Weather Service:**

Several products are issued by the National Weather Service to aid land management and local fire officials. The formats of the fire weather products will comply with standards set forth in <a href="NWS">NWS</a> <a href="Instruction 10-401">Instruction 10-401</a> and are standardized in an effort to better serve transient fire fighters.

The following sections will outline the general content and requirements for each product and their issuance. For the sake of brevity, more specific details can be found in <a href="NWS Instruction 10-401">NWS Instruction 10-401</a>. Examples of each product can be found in Appendix E.

#### Fire Weather Planning Forecast (FWF)

The Fire Weather Planning Forecast is issued to provide an overview of expected weather conditions and parameters related to fire weather operations. The product may be broken down on a fire zone by fire zone basis, or may be provided in groups of zones with similar land conditions. Issuance times and frequency of the product varies from north to south and season.

WFO	Frequency During Fire Seasons	Frequency during remainder of the year	
Indianapolis	2x daily (morning and afternoon)	Every morning	
Northern Indiana	2x daily (morning and afternoon)	Every morning between Spring and Fall seasons. No issuance between Fall and Spring seasons	
Louisville, KY	2x daily (morning and afternoon)	As requested	
Chicago, IL	~ 6 am, 1030 am and 4 pm	As requested between Spring and Fall seasons. No issuance between Fall and Spring seasons	
Wilmington, OH	2x daily (morning and afternoon)	Every Morning and as needed	
Paducah, KY	2x daily (morning and afternoon) Year Round		

The morning forecast will contain three periods and an extended portion, while the afternoon forecast

will contain four periods and an extended forecast.

The forecasts will contain the following elements:

- **Headline** If a Red Flag Warning or Fire Weather Watch is in effect, a headline is mandatory. Outside of these conditions, headlines may be used to convey concerns about significant trends, but are not required.
- **Discussion** This is a short paragraph outlining the synoptic features affecting the forecast area during the next 24 to 36 hours.
- **Forecast elements** will include: cloud cover, chance and type of precipitation, precipitation amount, max and min temperatures and its trend, max and min relative humidity and its trend, 20-foot winds in MPH, mixing height in 1000's of feet, and transport winds in knots.
- **Extended forecast** will be appended to the end of the tabular part of the product and will include the winds through day 7.

Optional Forecast Elements (Further Details are located in Appendix F)

- Haines Index
- Ventilation Index (VI)
- Davis Stability Index (DSI)

This forecast will be updated whenever the following conditions are warranted.

- A Fire Weather Watch is issued, cancelled or expired
- A Red Flag Warning is issued, cancelled or expired
- When forecast elements are deemed unrepresentative

# **NFDRS (Point) Forecast**

The Point Forecast is issued for a specific point within the fire weather area of responsibility (see stations below) and is valid for a twenty-four (24) hour period after issuance. The format for NFDRS forecast is found in NWS Instruction 10-401.

The following are the points forecasted for in the State of Indiana during the regular fire weather season.

<b>Station Name</b>	<b>Station Number</b>	<b>Issuance Time and Frequency</b>	<b>NWS Office Issuing</b>
Tipsaw	128905	~ 330 pm EST year round	Louisville
Hardin Ridge	125701	~ 330 pm EST during Fire Season	Indianapolis
Big Oaks	127301	Upon request during Fire Season	Wilmington, OH
Bailley	120201	~ 1 pm LST during Fire Season	Chicago, IL
No NFI	ORS Sites		Paducah Northern Indiana

#### **Spot Forecasts (FWS)-**

Site-specific forecasts (Spot) are issued by an NWS office in support of wildfire and natural resource management. These forecasts aid the land management and fire control agencies in protecting life and property during wildfires, fuel reduction burns, and rehabilitation and restoration of natural resources. Spot forecasts may also be issued for a threat to public safety, including but not limited to hazardous materials incidents, marine incidents, and search and rescue response. However, this plan will focus primarily on forecasts in support of land management agencies.

The forecast elements will typically consist of the highest or lowest temperature during the period, the highest or lowest relative humidity, wind direction and speed, chances and duration of precipitation. Directions for requesting Spot Forecasts can be found in Appendix C.

#### **Experimental Model Particle Trajectories**

Land management agencies that have a wildfire of 100 acres or greater, or are conducting a prescribed burn of 100 acres or greater, may request that the National Weather Service run the NOAA Air Resources Laboratory dispersion model, HYSPLIT, to model particle trajectory. This model is a combination of the U.S. Forest Service's Blue Sky Model and meteorological models used by NWS Forecasters. This data is output in a graphical form and is considered experimental since it is relatively new, and only limited testing has been conducted thus far. This data can be used in addition to a typical spot forecast that is used for Prescribed Burns and Wildfires. More information on the procedures for requesting this and how to interpret the data can be found in Appendix D at the end of this AOP.

### **Urgent Fire Weather Messages**

#### Fire Weather Watches and Red Flag Warnings (RFW)-

A Fire Weather Watch or Red Flag Warning event occurs whenever extremely dry fuels combine with critical weather parameters to create an atmosphere that could contribute to extensive wildfires with the potential to threaten life and property. Any watch or warning should be coordinated with the affected land management agency for the zone(s) where the watch or warning is being considered. A watch is issued typically within 24 to 48 hours of an event and a warning within 24 hours. A Red Flag warning may also be requested by a land management agency, if they feel that due to extreme dryness in the forest, that wildfires are likely. The Fire Weather Watch or Red Flag Warning can be issued on a county by county basis. The land management agencies and the NWS offices will discuss the area that will be contained within the urgent fire weather message.

### Fire Weather Watch/Red Flag Warning Criteria:

Criterion 1 should be met (for at least 2 days, except in drought situations and at discretion of land management officials) before proceeding to Criterions 2 and 3

- (1) Ten hour fuels at 8% or less (9% or less for Paducah forecast area)
- (2) Sustained wind averaging >=15 mph (10m ASOS winds) for at least 3 hours (>= 20 mph for Northern/Northwestern Indiana-IWX/LOT)
- (3) Relative humidity <= 25 percent for at least 3 hours

#### **Non-routine services:**

The National Weather Service will assist any Federal or State agency in training purposes. Typically, the National Weather Service has served as instructors for the weather portions of the S-290 and S-190 hosted by the USFS or DNR. On different occasions, the National Weather Service has also agreed to supply training/instruction support for state and federal agencies in more general purposes, such as seasonal outlooks during late winter staff meetings or regional gatherings. This type of service will continue in the future.

### Wildland Fire Agency Responsibilities:

Agreements and reimbursement between fire agencies and the National Weather Service are outlined at <a href="http://www.srh.noaa.gov/ridge2/fire/">http://www.srh.noaa.gov/ridge2/fire/</a>, under the Admin section.

#### **Effective Date of the AOP:**

The AOP will be reviewed by federal and state agencies in coordination with the National Weather Service Fire Weather Program Leader at the respective weather forecast offices every year prior to the start of the spring fire weather season.

# **Appendix A Points of Contact**

# **STATE AGENCIES**

Department of Natural Resources (<a href="http://www.in.gov/dnr/forestry/">http://www.in.gov/dnr/forestry/</a>)

6220 Forest Road Martinsville, IN 46151

Office Number for all Contacts (765) 342-4701. Fax (765) 342-4760

Name	Title	Phone #'s	Email
Crystal Hunt	Program Coordinator, Forestry	(317) 697-2081(C)	chunt@dnr.IN.gov
	Division-Fire Headquarters		
Drew Daily	State Fire Coordinator (Morgan	(317) 697-1251 (C)	ddeily@dnr in goy
	Monroe State Forest)	(317) 097-1231 (C)	ddairy@diir.iii.gov
Darren Bridges	Assistant State Fire Coordinator	(812) 830-8518 (C)	dbridges@dnr.in.gov

#### **FEDERAL AGENCIES**

Eastern Area Coordination Center (National Park Service) (<a href="http://gacc.nifc.gov/eacc/">http://gacc.nifc.gov/eacc/</a>)

626 E. Wisconsin Avenue

Suite 500

Milwaukee, WI 53202

Name	Title	Phone #'s	Email
Stephen Marien	Eastern Area Fire Weather	(651) 293-8446	Stephen_Marien@nps.gov
	Program Manager	(402) 250-7844 (C)	
		(651) 290-3815 (F)	

#### US Fish and Wildlife Office (<a href="http://www.fws.gov/">http://www.fws.gov/</a>)

620 S Walker St Bloomington, IN 47403 Fax (812) 334-4273

Name	Title	Phone #'s	Email
Jeff Kiefer	State of Indiana Coordinator	(812) 334- 4261x1212	Jeffrey_kiefer@fws.gov
Brian Winters	Fire Management Officer Big Oaks NWR http://www.fws.gov/midwest/bigoaks/	(812) 273-0783	Brian winters@fws.gov

# $Indiana\ Dunes\ National\ Lake\ Shore\ (\underline{http://www.nps.gov/indu/index.htm})\ -Laporte,\ Porter\ and\ Lake\ Counties$

1100 N Mineral Springs Road Porter, IN 46304 FAX: (219) 395-1588

Name	Title	Phone #'s	Email
Dan Morford	Fire Management Officer	(219) 395-8840	Dan_morford@nps.gov
		(219) 246-6965 (C)	
Mary Lothschutz	Assistant Fire Management Officer	(219) 395-1683	
-	_	(219) 921-9814 (C)	
Neal Mulconrey	Fire Program Assistant	(219) 395-8420	
		(219) 728-8278 (C)	

#### **US Forest Service-Hoosier National Forest**

Tell City Ranger District 248 15<sup>th</sup> St. Tell City, IN 47586

Brownstown Ranger District 811 Constitution Ave Bedford, IN 47421

FAX: (812) 547-9260

Name	Title	Phone #'s	Email
Terry Severson	Fire Management Officer	(812) 547-9247	tlseverson@fs.fed.us
		(812) 454-2771 Cell	
Maggie Schutter	IICC Center Manager	(812) 547-9245	mschuetter@fs.fed.us
		(812) 483-3486 Cell	
Ryan Otto	Engine Captain	(812) 547-9254	rjotto@fs.fed.us
		(812) 459-9357 Cell	
Dave Nugent	Dispatch	(812) 547-9250	dnugent@fs.fed.us
		(812) 454-4001 Cell	

#### NATIONAL WEATHER SERVICE REPRESENTATIVES


Office	Contacts	Phone #	Email
Indianapolis	Daniel McCarthy-MIC	317-856-0360 A	Daniel.Mccarthy@noaa.gov
(IND)	Sonia Mark Flechtner-Fire		Sonia.Mark.Flechtner@noaa.gov
	Weather FP		
Northern Indiana	Michael Sabones-MIC	574-834-1104 A	Mike.Sabones@noaa.gov
(IWX)	Lonnie Fisher-Fire Weather FP		Lonnie.Fisher@noaa.gov
Louisville, KY	John Gordon-MIC	502-969-8842 A	John.Gordon@noaa.gov
(LMK)	Brian Schoettmer-Fire Weather		Brian.Schoettmer@noaa.gov
	FP		
Chicago, IL	Edward Fenelon-MIC	815-834-0673 A	Edward.Fenelon@noaa.gov
(LOT)	Casey Sullivan-Fire Weather FP		Casey.Sullivan@noaa.gov
Wilmington, OH	Kenneth Haydu-MIC	937-383-0031 A	Kenneth.Haydu@noaa.gov
(ILN)	John Franks-Fire Weather FP		John.J.Franks@noaa.gov

Paducah, KY	Bev Poole-MIC	270-744-6440 A	Beverly.Poole@noaa.gov
(PAH)	Kelly Hooper-Fire Weather FP		Kelly.Hooper@noaa.gov
Jennifer	CRH Fire Weather FP	(816) 268-3143	Jennifer.Zeltwanger@noaa.gov
Zeltwanger			
(CRH)			
Harvey Thurm	ERH Fire Weather FP	(631) 224-0124	Harvey.Thurm@noaa.gov
(ERH)			
Heath	NWSHQ Fire Weather Program	(208) 334-9862	Heath.Hockenberry@noaa.gov
Hockenberry	Manager		
(WSH)			

# **Appendix B**

# **NWS Office Coverage for the State of Indiana**

# INDIANA COUNTY WARNING FORECAST AREAS



# **Appendix C**

# **NWS National (Experimental) Fire Weather Page and Spot Forecasts**

The ability of the National Weather Service (NWS) to provide digital and graphic fire weather products and services over the internet continues to increase. Concurrently, the need for improved fire weather information on the internet by land management and fire suppression agencies also continues to increase. Multiple federal fire weather user agencies have expressed a need for an improved national fire weather web page that includes more interactive graphics. The NWS began testing a new, highly interactive national fire weather web page October 1, 2009. Because existing fire weather information is bundled and/or presented in new formats, the national fire weather web page is considered a new experimental service. The experimental web page can be accessed via <a href="http://www.weather.gov/fire">http://www.weather.gov/fire</a>. A breakdown of the use of this page will follow.




Figure 1 Figure 2

The initial view of the page will be at national level (Figure 1). While the user may zoom in using the controls on the top left portion of the screen, the easiest method for a specific area will be to enter the location in the box above the map. The different possibilities of entry can be found to the right of the map under "Enter Location". For example, Indianapolis was entered with the pop-up dialog shown in Figure 2 appearing. From this dialog, you can select many different options for that point. Some examples are

- Fire Weather: Gives the text forecast (FWF) for that point
- 7-day: Gives the generic forecast for the next 7 days in text and graphical form
- Digital/Tabular and Tabular will give the point data in a tabular format.

The remainder of this appendix will focus on the Hourly Weather Graph and requesting a Spot Forecast.

# **Hourly Weather Graph**



The hourly weather graph data is available for any forecast area at any selected point. The Indianapolis, Northern Indiana and Chicago NWS offices have added an option for Fire Weather elements. While the spot forecast gives the forecast at the start of the burn through the remainder of the forecast period, the Hourly Weather graph can provide even more detail over a several day period to help determine the prevailing conditions. A spot forecast is still recommended when dealing with wildfires or prescribed burns since forecaster input can still be given upon issuance.

# **Spot Forecast Request Instructions**

A spot forecast request can be started using one of 2 methods (both get you to the same spot).

#### National Fire Weather Page Method

- Select or enter your location for the burn from the National Fire Weather page (Figure 1).
- Click the "Request Spot Forecast" on the bottom of the dialog window.
- You will arrive at the standard NWSSpot request page.

#### Local NWS Office Fire Weather Page Method

- Determine the office which covers your forecast location (Appendix Ref Needed)
- Go to the appropriate fire weather page (Links can be found at the start of this AOP).
- Click the "Spot Forecast Request" link on the page.

#### Once at the NWSSpot Interface

- Click on Submit a New Spot Request
- Enter data into the request form (red means a mandatory entry). Unfortunately at this time, the data will not automatically populate from the graphical interface.
- Click submit request at the bottom of the form
- Allow up to 30 minutes for the creation and issuance of the request (if time critical, please note in the request or contact the NWS office)
- Monitor the status of your request from the Spot Forecast page. Once your request status is listed as complete (color in red on the map), then click on your request, to see the forecast.
- Feedback on the forecast is greatly appreciated. If you have feedback on the forecast, at the bottom of the completed forecast is a space to type in feedback, then push the button <Send Feedback>.

If the user does not have access to the internet, contact the appropriate NWS offices covering your area to have them enter the request and supply the forecast through other means.

# **Appendix D**

Two types of experimental modeling data are available to aid land management officials during prescribed burns and wild/forecast fires.


# **Experimental Smoke Particle Trajectories**

This type of run is designed for longer term effects of large fires.

#### How to request:

To request a HYSPLIT trajectory run for your prescribed burn or incident,

- **1.** Request a Spot Forecast through the NWSSpot link for the appropriate NWS office.
- **2.** To request HYSPLIT trajectories from WFO NWS Spot forecast request webpages, the authorized user must enter the phrase in quotes "hysplit to (enter email-No Parenthesis)" in the remarks section of the spot forecast request form. The HYSPLIT trajectory raw data, as well as ".gif" and ".kml" files, will be sent to the specified email address.



### How to interpret the result:

The HYSPLIT Trajectories Request Function gives a model depiction of where an air parcel would travel from a given longitude and latitude, starting at a specific elevation. The model

output provides users with HYSPLIT trajectory runs at 500, 1500, and 3000 meters above the ground. Model runs will start at the place and ignition time provided in the spot forecast request.


# **Experimental Smoke Particle Dispersion**

This version of the same model provides general concentration information on particulates and their anticipated movement based on model data for the period of time selected. The data can be downloaded in a KMZ format to view on Google Earth.

#### How to request a HYSPLIT Dispersion run:

Method 1: Place a Spot Forecast request through normal means. Contact the respective NWS office and request a dispersion run, giving the duration of the burn. The request and data can also be submitted in the remarks section of the Spot Forecast Request.

Method 2: Contact NWS office directly and request a dispersion run.



# How to interpret the results:

Plotted output concentrations (the output graphics) are calculated using a default concentration and a default emission rate. These two parameters tell the model how much smoke to release, and how fast to release it. The default concentration rate will always be 1 unit of mass per cubic meter (for example,  $1 \text{ g/m}^3$ ). The default emission rate will always be one mass unit per hour (for example, 1 g/hour).

Since the output graphics use a default concentration and a default emission rate, the raw

HYSPLIT smoke concentrations shown on the output graphics do not represent <u>actual</u> concentrations and cannot be used to estimate health impacts. If the <u>actual emission rate</u> of smoke per hour is known, you can perform a simple calculation to obtain actual concentrations: Actual concentrations = <u>actual emission rate</u> x <u>output concentrations</u>

# **Appendix E**

# **Examples of Fire Weather Products:**

Fire Weather Planning Forecast (morning) - ARBFWFxxx (The afternoon format is similar)-

```
FNUS5i KNNN DDHHMM
FWFNNN
FIRE WEATHER PLANNING FORECAST
NATIONAL WEATHER SERVICE CITY STATE
TIME-DATE
...HEADLINE...
.DISCUSSION...
SSZXXX-XXX>XXX-DDHHMM-
GEOGRAPHICAL DESCRIPTORS
TIME-DATE
... RED FLAG WARNING/FIRE WEATHER WATCH HEADLINE...
.TODAY...
SKY/WEATHER.....
MAX TEMPERATURE....
24 HR TREND.....
MIN HUMIDITY.....
24 HR TREND.....
WIND. (20 FT/10-MIN AVG)...
HAINES INDEX...
MIXING HEIGHT...
TRANSPORT WINDS. (MPH) ...
VENTILATION INDEX...
.TONIGHT...
SKY/WEATHER.....
MIN TEMPERATURE....
24 HR TREND.....
MAX HUMIDITY.....
24 HR TREND.....
WIND. (20 FT/10-min avg)...
HAINES INDEX...
MIXING HEIGHT...
TRANSPORT WINDS. (MPH) ...
VENTILATION INDEX...
.TOMORROW...
SKY/WEATHER....
MAX TEMPERATURE....
MIN HUMIDITY.....
WIND.( 20 FT/10-min avg)....
HAINES INDEX...
MIXING HEIGHT...
TRANSPORT WINDS. (MPH) ...
VENTILATION INDEX...
[forecast for next geographical descriptor and fire weather zone group]
.FORECAST DAYS 3 THROUGH 7...
.DAY3...
.DAY4...
.DAY5...
.DAY6...
.DAY7...
```

Fire Weather Watch/Red Flag Warning (RFW).

#### Multiple Segments RFW with Overview Section (Format for Single Segment Similar)

WWUS85 KLOX 050820
RFWLOX
URGENT - FIRE WEATHER MESSAGE
NATIONAL WEATHER SERVICE LOS ANGELES/OXNARD CA
400 PM MDT MON OCT 10 2011

...RED FLAG WARNING AND FIRE WEATHER WATCH ACROSS PORTIONS OF VENTURA AND LOS ANGELES COUNTIES THROUGH THURSDAY...

THE NATIONAL WEATHER SERVICE IN LOS ANGELES/OXNARD HAS ISSUED A RED FLAG WARNING AND FIRE WEATHER WATCH FROM 6 PM THIS EVENING TO MIDNIGHT THURSDAY EVENING.

STRONG SANTA ANA WINDS WILL BRING HOT TEMPERATURES...SINGLE DIGIT HUMIDITY AND 45 MPH WINDS TO THE VENTURA COUNTY VALLEYS. SIMILAR CONDITIONS MAY SHIFT SOUTH INTO PORTIONS OF LOS ANGELES COUNTY TUESDAY NIGHT.

CAZ244>246-288-547-102200/O.NEW.KLOX.FW.W.0015.111011T0000Z-111013T0600Z/
VENTURA COUNTY INTERIOR VALLEYS-VENTURA COUNTY COASTAL VALLEYSSANTA MONICA MOUNTAINS RECREATION AREA-SANTA CLARITA VALLEYLOS ANGELES COUNTY SAN FERNANDO VALLEY

- ...A RED FLAG WARNING IS IN EFFECT FROM 6 PM MONDAY EVENING THROUGH THURSDAY EVENING FOR STRONG WINDS AND LOW HUMIDITY ACROSS FIRE ZONES 244...245...246...288...547
- \* AFFECTED AREA: VENTURA COUNTY COASTAL AND INTERIOR VALLEYS... SANA CLARITA VALLEY...SANTA MONICA VALLEY RECREATION AREA... LOS ANGELES COUNTY SAN FERNANDO VALLEY
- \* TIMING: 6 PM MONDAY EVENING TO MIDNIGHT THURSDAY EVENING.
- \* WIND: NORTHEAST 20 TO 30 MPH GUSTING TO OVER 45 MPH. WINDS ARE EXPECTED TO DROP BELOW RED FLAG CRITERIA EACH MORNING BETWEEN 4 AM AND 9 AM.
- \* HUMIDITY: RELATIVE HUMIDITY VALUES WILL RANGE BETWEEN 5 AND 15 PERCENT...WITH SLIGHT RECOVERY TO BETWEEN 25 AND 35 PERCENT EACH MORNING BETWEEN 4 AM AND 9 AM.
- \* TEMPERATURES: AFTERNOON TEMPERATURES BETWEEN 90 AND 100 ARE EXPECTED.
- \* IMPACTS: THE COMBINATION OF STRONG NORTHEAST WINDS AND LOW HUMIDITY WILL CREATE CRITICAL FIRE WEATHER CONDITIONS THROUGH THURSDAY.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A RED FLAG WARNING MEANS THAT CRITICAL FIRE WEATHER CONDITIONS WILL OCCUR. A COMBINATION OF STRONG WINDS...LOW RELATIVE HUMIDITY...AND WARM TEMPERATURES WILL CREATE EXPLOSIVE FIRE GROWTH POTENTIAL.

& &

\$\$

CAZ241-548-102200-

```
/O.NEW.KLOX.FW.A.0019.111011T2200Z-111013T0600Z/
LOS ANGELES COUNTY COAST INCLUDING DOWNTOWN LOS ANGELES-
LOS ANGELES COUNTY SAN GABRIEL VALLEY-
400 PM MDT MON OCT 10 2011
```

- ...A FIRE WEATHER WATCH IS IN EFFECT FROM 4 PM TUESDAY THROUGH MIDNIGHT THURSDAY EVENING FOR FIRE ZONES 241 AND 548...
- \* AFFECTED AREA: LOS ANGELES COUNTY COAST INCLUDING DOWNTOWN LOS ANGELES AND LOS ANGELES COUNTY SAN GABRIEL VALLEY
- \* TIMING: 4 PM TUESDAY EVENING TO MIDNIGHT THURSDAY EVENING
- $^{\star}$  WIND: NORTHEAST WINDS 25 TO 35 MPH WITH STRONGER GUSTS ARE POSSIBLE.
- \* HUMIDITY: RELATIVE HUMIDITY WILL VARY BETWEEN 10 AND 20 PERCENT.
- \* TEMPERATURES: AFTERNOON TEMPERATURES BETWEEN 90 AND 100 ARE EXPECTED.
- \* IMPACTS: THE COMBINATION OF STRONG NORTHWEST WINDS AND LOW HUMIDITY MAY CREATE CRITICAL FIRE WEATHER CONDITIONS LATE TUESDAY THROUGH THURSDAY.

### **Appendix F**

# **Explanation of Common Fire Weather indices:**

# Haines Index (Low elevations):

The Haines index is an Atmospheric severity Index used to determine fire severity due to the stability of the lower atmosphere, typically used for days when plume dominated fires are likely. The terms in the index are the lapse rate between 950mb and 850mb (F1) and the moisture availability at 850mb by calculating the dewpoint depression (F2). Once the lapse rate and dewpoint depressions have been calculated, look up the appropriate value for each term (A and B) and add the numbers together (A+B). The lowest the index will be is 2 and the highest is 6.

```
Haines Index = A + B

F1 = T950 - T850

F1 = 3 deg C or less then A = 1

F1 = 4-7 C then A = 2

F1 = 8 deg C or more then A = 3

F2 = T850 - Td850

F2 = 3 deg C or less then B = 1

F2 = 4-7 C then B = 2

F2 = 8 deg C or more then B = 3
```

#### **Ventilation Index:**

This index is found by multiplying the mixing height (feet) with the transport wind speed (mph), then dividing by 100.

```
Example...
Mixing height = 14,000 feet
Transport wind = 15 mph
VI = 14,000 * 15 / 100 = 2100(no units)
Example...
Mixing height = 5,000 feet
Transport wind = 10 mph
VI = 5,000 * 10 / 100 = 500 (no units)
```

VI scale...

Less than 130 = POOR dispersal 130 - 299 = FAIR dispersal 300 - 599 = GOOD dispersal 600 and greater = EXCELLENT dispersal

A ventilation index of zero implies no ability for the atmosphere to disperse smoke or pollutants, while a value of 600 or greater implies an excellent ability to disperse smoke or pollutants. The United States Forest Service and Department of Natural Resources has requested that when the VI is "fair", that we include a number value along with the term.

#### **Dispersion Index:**

The Dispersion Index is a number that gives a relative indication of how well smoke will disperse in the atmosphere. It is calculated by taking the Mixing Height divided by 1000 and then multiplying the result by the transport winds in knots. See the table below for an interpretation for a given Dispersion Index value.

Dispersion Index Interpretation > 100 Very Good 60-100 Good 41-60 Fair to Good 21-40 Fair 13-20 Poor to Fair 7-12 Poor 1-6

Very Poor

#### **Dispersion:**

Dispersion indicates the forecast smoke dispersion category for the <u>overnight periods only</u>. (4 knots = 4.6 mph; 8 knots = 9.2 mph; 12 knots = 13.8 mph)

Value

Interpretation

Wind Speed

1

Very Poor

≥ 4 knots

2

Poor

> 4 and  $\leq$  8 knots

3

Good

> 8 and  $\leq 12$  knots

4

Excellent

> 12 knots

#### Davis Stability Index (DSI) (WFO Paducah only):

The Davis Stability Index is a common fire stability index parameter utilized primarily in the southeast United States. The formula for the Davis Stability Index is as follows:

Davis Stability Index (DSI) = Max Temp (deg C) - 850mb Temp (deg C)

- If the difference is less than 10 deg C, it is considered a Category 1 or stable.
- If the difference is 10 deg C to 14 deg C, it is considered a Category 2 or conditionally unstable.
- If the difference is 15 deg C to 17 deg C, it is considered a Category 3 or unstable.
- If the difference is greater than 17 deg C, it is considered a Category 4 or absolutely unstable.

# **LIGHTNING ACTIVITY LEVEL (LAL):**

A single digit (1 through 6) will be used. The meaning of each number is as follows:

- 1 No thunderstorms.
- **2** Few building cumulus with isolated thunderstorms. Occasional light rain reaching the ground.
- **3** Widely scattered thunderstorms with much building cumulus. Light to moderate rain reaching the ground.
- 4 Scattered thunderstorms, not obscuring the sky. Moderate rain reaching the ground.

- 5 Numerous thunderstorms, occasionally obscuring the sky. Moderate to heavy rain reaching the ground.
- 6 Same as 3 above, but dry, no rain.

### **Ventilation Rate (Vent Rate)/Smoke Dispersal:**

The Vent Rate is a number that gives a relative indication of how well smoke will disperse in the atmosphere. It is calculated by taking the Mixing Height (in FT AGL) multiplied by the transport winds in knots. Units are in KNOT-FT.

The table below gives and interpretation for a given value of Vent Rate used by NWS Louisville:

Vent Rate
Interpretation
< 29,000
Poor
≥ 29,000 & < 38,000
Marginal
≥ 38,000 & < 50,000
Fair
≥ 50,000 & < 95,000
Good
≥ 95,000
Excellent (Burn with caution)

The table below gives and interpretation for a given value of Vent Rate used by NWS Paducah:

Vent Rate (kt-ft) = Mixing Height (ft) \* Average Transport Winds (kt)

Interpretation

Interpretation

Vent Rate (kt-ft)

Vent Rate (m/s-m

Excellent

>= 150,000

>= 23445

Very Good

>= 100,000 and < 150,000

>= 15630 and <23445

Good

>= 60,000 and < 100,000

>=9378 and <15630

Fair

>= 40,000 and < 60,000

>=6252 and <9378

Poor

<= 40,000

<=6252

# **Signatory Page**

Och. Dass C. Dassy	23/01/2012
Indiana Department of Natural Resources	Date
B- & Wit	3/1/2012
U.S. Fish and Wildlife	Date
Day IM / S	3/5/2012 Date
National Park Service (Indiana Dunes)	Date
Tembser	3/15/2012
U.S. Forest Service	Date /
Manuel WM Cantleys	Mar. 30, 2012
National Weather Service	Date
A 1 * 14 A H AMERICA AAA	